

Local Coverage Determination (LCD): Lumbar Epidural Injections (L34980)

Links in PDF documents are not guaranteed to work. To follow a web link, please use the MCD Website.

Contractor Information

CONTRACTOR NAME	CONTRACT TYPE	CONTRACT NUMBER	JURISDICTION	STATE(S)
Noridian Healthcare Solutions, LLC	A and B MAC	02101 - MAC A	J - F	Alaska
Noridian Healthcare Solutions, LLC	A and B MAC	02102 - MAC B	J - F	Alaska
Noridian Healthcare Solutions, LLC	A and B MAC	02201 - MAC A	J - F	Idaho
Noridian Healthcare Solutions, LLC	A and B MAC	02202 - MAC B	J - F	Idaho
Noridian Healthcare Solutions, LLC	A and B MAC	02301 - MAC A	J - F	Oregon
Noridian Healthcare Solutions, LLC	A and B MAC	02302 - MAC B	J - F	Oregon
Noridian Healthcare Solutions, LLC	A and B MAC	02401 - MAC A	J - F	Washington
Noridian Healthcare Solutions, LLC	A and B MAC	02402 - MAC B	J - F	Washington
Noridian Healthcare Solutions, LLC	A and B MAC	03101 - MAC A	J - F	Arizona
Noridian Healthcare Solutions, LLC	A and B MAC	03102 - MAC B	J - F	Arizona
Noridian Healthcare Solutions, LLC	A and B MAC	03201 - MAC A	J - F	Montana
Noridian Healthcare Solutions, LLC	A and B MAC	03202 - MAC B	J - F	Montana
Noridian Healthcare Solutions, LLC	A and B MAC	03301 - MAC A	J - F	North Dakota
Noridian Healthcare Solutions, LLC	A and B MAC	03302 - MAC B	J - F	North Dakota
Noridian Healthcare Solutions, LLC	A and B MAC	03401 - MAC A	J - F	South Dakota
Noridian Healthcare Solutions, LLC	A and B MAC	03402 - MAC B	J - F	South Dakota
Noridian Healthcare Solutions, LLC	A and B MAC	03501 - MAC A	J - F	Utah
Noridian Healthcare Solutions, LLC	A and B MAC	03502 - MAC B	J - F	Utah
Noridian Healthcare Solutions, LLC	A and B MAC	03601 - MAC A	J - F	Wyoming
Noridian Healthcare Solutions, LLC	A and B MAC	03602 - MAC B	J - F	Wyoming

LCD Information

Document Information

LCD ID
L34980

Original Effective Date

For services performed on or after 10/01/2015

LCD Title

Revision Effective Date

Lumbar Epidural Injections

For services performed on or after 10/01/2019

Proposed LCD in Comment Period

N/A

Revision Ending Date

N/A

Source Proposed LCD

N/A

Retirement Date

N/A

AMA CPT / ADA CDT / AHA NUBC Copyright Statement

CPT codes, descriptions and other data only are copyright 2020 American Medical Association. All Rights Reserved. Applicable FARS/HHSARS apply.

Notice Period Start Date

N/A

Notice Period End Date

N/A

Fee schedules, relative value units, conversion factors and/or related components are not assigned by the AMA, are not part of CPT, and the AMA is not recommending their use. The AMA does not directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for data contained or not contained herein.

Current Dental Terminology © 2020 American Dental Association. All rights reserved.

Copyright © 2013 - 2020, the American Hospital Association, Chicago, Illinois. Reproduced by CMS with permission. No portion of the American Hospital Association (AHA) copyrighted materials contained within this publication may be copied without the express written consent of the AHA. AHA copyrighted materials including the UB-04 codes and descriptions may not be removed, copied, or utilized within any software, product, service, solution or derivative work without the written consent of the AHA. If an entity wishes to utilize any AHA materials, please contact the AHA at 312-893-6816. Making copies or utilizing the content of the UB-04 Manual, including the codes and/or descriptions, for internal purposes, resale and/or to be used in any product or publication; creating any modified or derivative work of the UB-04 Manual and/or codes and descriptions; and/or making any commercial use of UB-04 Manual or any portion thereof, including the codes and/or descriptions, is only authorized with an express license from the American Hospital Association. To license the electronic data file of UB-04 Data Specifications, contact Tim Carlson at (312) 893-6816.

You may also contact us at ub04@aha.org.

CMS National Coverage Policy

When the documentation does not meet the criteria for the service rendered, or the documentation does not establish the medical necessity for the services, such services will be denied as not reasonable and necessary under Section 1862(a)(1) of the Social Security Act.

Coverage Guidance

Coverage Indications, Limitations, and/or Medical Necessity

Introduction:

For purposes of this policy, a "session" is defined as all epidural or spinal procedures performed on a single calendar day.

Lumbar epidural injections are generally performed to treat pain arising from spinal nerve roots. These procedures may be performed via three distinct techniques, each of which involves introducing a needle into the epidural space by a different route of entry. These are termed the interlaminar, caudal, and transforaminal approaches. The procedures involve the injection of a solution containing local anesthetic with or without corticosteroids.

Indications

1. Pain associated with
Herpes Zoster and/or
Suspected radicular pain, based on radiation of pain along the dermatome (sensory distribution) of a nerve and/or

Neurogenic claudication and/or

- Low back pain, NPRS \geq 3/10 (moderate to severe pain) associated with significant impairment of activities of daily living (ADLs) and one of the following:
- a. substantial imaging abnormalities such as a central disc herniation,
 - b. severe degenerative disc disease or central spinal stenosis.

2. Failure of four weeks (counting from onset of pain) of non-surgical, non-injection care, which includes appropriate oral medication(s) and physical therapy to the extent tolerated.

Exceptions to the 4-week wait may include:

- a. pain from Herpes Zoster
- b. at least moderate pain with significant functional loss at work or home.
- c. severe pain unresponsive to outpatient medical management.
- d. inability to tolerate non-surgical, non-injection care due to co-existing medical condition(s)
- e. prior successful injections for same specific condition with relief of at least 3 months' duration.

Procedure Requirements

1. An appropriately comprehensive evaluation of all potential contributing pain generators and treatment in accordance with an established and documented treatment plan.

2. Plain films to rule out red flag conditions may be appropriate if potential issues of trauma, osteomyelitis or malignancy are a concern.
3. Real-time imaging guidance, fluoroscopy or computed tomography, with the use of injectable radio-opaque contrast material is required for all steroid injections and all transforaminal injections. Its use is urged but not required for other epidural injections.
4. Contrast medium should be injected during epidural injection procedures unless patient has contraindication to injection. The reasons for not using contrast must be documented in the procedure report.
5. Films that adequately document final needle position and injectate flow must be retained and made available upon request.
6. For each session, no more than 80mg of triamcinolone, 80 mg of methylprednisolone, 12 mg of betamethasone, 15 mg of dexamethasone or equivalent corticosteroid dosing may be used
7. When a diagnostic spinal nerve block is performed, post-block assessment of percentage pain relief must be documented.
8. Levels per session:
 - a. No more than two transforaminal injections may be performed at a single setting (e.g. single level bilaterally or two levels unilaterally)
 - b. One caudal or lumbar interlaminar injection per session and not in conjunction with a lumbar transforaminal injection.
9. Frequency:
 - a. No more than 3 epidurals may be performed in a 6-month period of time.
 - b. No more than 6 epidural injection sessions (therapeutic epidurals and/or diagnostic transforaminal injections) may be performed in a 12-month period of time regardless of the number of levels involved.
 - c. If a prior epidural provided no relief, a second epidural is allowed following reassessment of the patient and injection technique.
10. Local anesthesia or minimal conscious sedation may be appropriate. Use of moderate sedation and Monitored Anesthesia Care (MAC) is usually unnecessary. Documentation must clearly establish the need for such sedation in the specific patient.

Provider Qualifications

The CMS Manual System, Pub. 100-8, Program Integrity Manual, Chapter 13, Section 5.1

(<http://www.cms.hhs.gov/manuals/downloads/pim83c13.pdf>) states that "reasonable and necessary" services are "ordered and/or furnished by qualified personnel." Services will be considered medically reasonable and necessary only if performed by appropriately trained providers.

Patient safety and quality of care mandate that healthcare professionals who perform Epidural Steroid Injections are appropriately trained and/or credentialed by a formal residency/fellowship program and/or are certified by either an accredited and nationally recognized organization or by a post-graduate training course accredited by an established national accrediting body or accredited professional training program. If the practitioner works in a hospital facility at any time and/or is credentialed by a hospital for any procedure, the practitioner must be credentialed to perform the same procedure in the outpatient setting. (At a minimum, training must cover and develop an understanding of anatomy and drug pharmacodynamics and kinetics as well as proficiency in diagnosis and management of disease, the technical performance of the procedure and utilization of the required associated imaging modalities).

Limitations

1. For a patient with low back pain only, a simple disc bulge or annular tear/fissure is insufficient to justify performance of an epidural.
2. Patient must not have major risk factors for spinal cancer (e.g., LBP with fever) or, if cancer is present, but the pain is clearly unrelated, an epidural may be indicated if one of the "Indications" previously listed is present.
3. A co-existing medical or other condition that precludes the safe performance of the procedure precludes coverage of the procedure, e.g., new onset of LBP with fever, risk factors for, or signs of, cauda equina

syndrome, rapidly progressing (or other) neurological deficits.

4. Numbness and/or weakness without paresthesia/dysesthesia or pain precludes coverage.
5. There is no role for "series of three" epidurals. Response to each epidural should be determined prior to determining the value of a repeat epidural and the specific methods used for subsequent epidurals.

Summary of Evidence

N/A

Analysis of Evidence (Rationale for Determination)

N/A

General Information

Associated Information

The medical record must be made available to Medicare upon request.

When the documentation does not meet the criteria for the service rendered, or the documentation does not establish the medical necessity for the services, such services will be denied as not reasonable and necessary under Section 1862(a)(1) of the Social Security Act.

Sources of Information

References

Interlaminar and Caudal ESIs

Benyamin RM, Manchikanti L, Parr AT, Diwan SA, Singh V, Falco FJE, Datta S, Abdi S, Hirsch JA. The effectiveness of lumbar interlaminar epidural injections in managing chronic low back and lower extremity pain. *Pain Physician*. 2012; 15:E363-404.

Surgery Sparing Effect of ESIs

Riew K, Park J, Cho Y, et al. Nerve root blocks in the treatment of lumbar radicular pain. A minimum five-year follow-up. *J Bone Joint Surg Am*. 2006;88:1722-5.

Riew K, Yin Y, Gilula L, et al. The effect of nerve-root injections on the need for operative treatment of lumbar radicular pain. A prospective, randomized, controlled, double-blind study. *J Bone Joint Surg Am*. 2000;11:1589-93.

Therapeutic Transforaminal Injections

Ghahreman A, Bogduk N. Predictors of a favorable response to transforaminal injection of steroids in patients with lumbar radicular pain due to disc herniation. *Pain Med.* 2011;12:871–9.

Ghahreman A, Ferch R, Bogduk N. The efficacy of transforaminal injection of steroids for the treatment of lumbar radicular pain. *Pain Med.* 2010;11:1149–68.

Review papers

MacVicar J, King W, Landers MH, Bogduk N. The Effectiveness of Lumbar Transforaminal Injection of Steroids: A Comprehensive Review with Systematic Analysis of the Published Data *Pain Medicine.* 2013 Jan; 14(1): 14–28.

Datta S, Manchikanti L, Falco FJE, Calodney AK, Atluri S, Benyamin RM, Buenaventura R, Cohen SP. Diagnostic Utility of Selective Nerve Root Blocks in the Diagnosis of Lumbosacral Radicular Pain: Systematic Review and Update of Current Evidence. *Pain Physician* 2013; 16:SE97-SE124.

Cohen SP, Bicket MC, Jamison D, Wilkinson I, Rathmell JP. Epidural Steroids A Comprehensive, Evidence-Based Review. *Reg Anesth Pain Med.* 2013;38:175-200.

Bibliography

N/A

Revision History Information

REVISION HISTORY DATE	REVISION HISTORY NUMBER	REVISION HISTORY EXPLANATION	REASON(S) FOR CHANGE
10/01/2019	R8	<p>01/12/2021 At this time 21st Century Cures Act will apply to new and revised LCDs that restrict coverage which requires comment and notice. This revision is not a restriction to the coverage.</p> <p>Added a hyphen between 4 and week in the statement Exceptions to the 4-week wait may include” under Indications and correct the spelling of ‘paresthesia’ and dysesthesia in #4 under Limitations in the Coverage Guidance section.</p>	<ul style="list-style-type: none"> • Typographical Error
10/01/2019	R7	<p>10/12/2020 At this time 21st Century Cures Act will apply to new and revised LCDs that restrict coverage which requires comment and notice. This revision is not a restriction to the coverage.</p> <p>Corrected the spelling of abnormalities in the Coverage Indications, Limitations and/or Medical Necessity section under</p>	<ul style="list-style-type: none"> • Typographical Error

REVISION HISTORY DATE	REVISION HISTORY NUMBER	REVISION HISTORY EXPLANATION	REASON(S) FOR CHANGE
		"1 a. substantial imaging abnormalities such as a central disc herniation" and under 2b put a space between "loss" and "at".	
10/01/2019	R6	10/01/2019: At this time 21st Century Cures Act will apply to new and revised LCDs that restrict coverage which requires comment and notice. This revision is not a restriction to the coverage. LCD was converted to the "no-codes" format.	<ul style="list-style-type: none"> Revisions Due To Code Removal
10/01/2017	R5	04/10/208 - At this time 21st Century Cures Act will apply to new and revised LCDs that restrict coverage which requires comment and notice. This revision is not a restriction to the coverage determination; and, therefore not all the fields included on the LCD are applicable as noted in this policy. Effective 10/01/2017 - Addition of M48.061 ICD-10 Code effective 10/01/2017. This code was not added per the ICD 9 to ICD 10 Coding Translation for Spinal Stenosis.	<ul style="list-style-type: none"> Revisions Due To ICD-10-CM Code Changes
10/01/2017	R4	DATE (08/28/2017): At this time 21st Century Cures Act will apply to new and revised LCDs that restrict coverage which requires comment and notice. This revision is not a restriction to the coverage determination; and, therefore not all the fields included on the LCD are applicable as noted in this policy Effective 10/1/2017, LCD is revised per the annual ICD-10-CM code update to Add ICD-10-CM code: M48.062 and delete ICD-10-CM code: M48.06	<ul style="list-style-type: none"> Revisions Due To ICD-10-CM Code Changes
01/01/2017	R3	2017 CPT updates deleted 62311, 62319 effective 12/31/2016	<ul style="list-style-type: none"> Revisions Due To CPT/HCPCS Code Changes
01/01/2017	R2	2017 CPT update to add 62322;62323; 62326; 62327	<ul style="list-style-type: none"> Revisions Due To

REVISION HISTORY DATE	REVISION HISTORY NUMBER	REVISION HISTORY EXPLANATION	REASON(S) FOR CHANGE
			CPT/HCPCS Code Changes
11/10/2016	R1	This final LCD, effective 10/01/2015, combines JFA L34983 into the JEB L34980 LCD so that both JEA and JEB contractor numbers will have the same final MCD LCD number L34980.	<ul style="list-style-type: none"> Creation of Uniform LCDs Within a MAC Jurisdiction

Associated Documents

Attachments

N/A

Related Local Coverage Documents

Article(s)

A57203 - Billing and Coding: Lumbar Epidural Injections

Related National Coverage Documents

N/A

Public Version(s)

Updated on 01/12/2021 with effective dates 10/01/2019 - N/A

Updated on 10/13/2020 with effective dates 10/01/2019 - N/A

Updated on 09/20/2019 with effective dates 10/01/2019 - N/A

Some older versions have been archived. Please visit the MCD Archive Site to retrieve them.

Keywords

- Epidural
- Steroid
- Injections
- Lumbar